

PPE Catalogue - 2024



Supreme
TTF



Contents:

SupremeTTF Catalogue 2022

- ❖ About Us.....2
- ❖ Size Guide.....3
- ❖ General Purpose Gloves.....5-20
- ❖ Cut Resistant Gloves.....22-29
- ❖ Leather Gloves.....31-37
- ❖ Disposable Gloves.....39-55
- ❖ Hi Visibility Vest.....57-59
- ❖ Miscellaneous PPE.....61-71
- ❖ Miscellaneous Gloves.....73-76





Welcome to the 2022 version of our catalogue for hand protection and safety wear. Here, we feature a selection of our top-selling items from our wide selection, categorising them into several groups.

We are high performance safety glove producers, importers and distributors as well as PPE and workwear suppliers. We do business under the "SUPREMETTF" trademark, which stands for "Supremely Tough."

While the UK and European markets are our primary emphasis, we also have distributors and representatives in the USA, Canada, Australia, and the Middle East. Our goal is to collaborate with our distributors to stay current on market trends for safety gloves and PPE and to consistently create useful items at the most affordable prices.

We partner with well-known manufacturers who make products that can effectively reduce the risks faced by workers working in very extreme conditions without sacrificing feel, dexterity, sensitivity, or comfort. These manufacturers invest heavily in research and development and are constantly creating new yarns and new technology.

A compact catalogue would not be able to contain every design or variant of a specific product that we provide. Please email us at Sales@supremettf.com with specifics of your working conditions if you can't find the glove or safety equipment you're searching for among the options in this catalogue. We'll be able to recommend the best option. In order to create a glove that is tailored to your needs, we are also delighted to consult with customers on off-the-shelf products.

Being a British Safety Industry Federation (BSiF) accredited firm, we are fully committed to upholding and giving our customers, the best possible product. Our products are independently tested in batches to ensure accurate safety ratings.



Check Your Size

Follow the sizing methods below to find your optimal glove size.

Supreme TTF gloves are designed and manufactured to ensure comfort, safety and total adaptability to the workplace. The right glove size depends on the width, length and thickness of the hand.

Two measurements may be used to establish the correct size.

1 Length

Measure the distance between wrist and middle fingertip.

2 Hand Circumference


Wrap measuring tape around your hand below the knuckles excluding thumb and make a fist.

Refer to the tables below for the correct size glove.

Length (mm)	Size
160 -170	Xsmall or 6
171 -181	Small or 7
182 -191	Medium or 8
192 -203	Large or 9
204 -214	XLarge or 10
215+	XXLarge or 11

Circumference (mm)	Size
152 -178	Xsmall or 6
178 -203	Small or 7
203 -229	Medium or 8
229 -254	Large or 9
254 -279	XLarge or 10
279+	XXL or 11





GENERAL PURPOSE GLOVES

DESCRIPTION:

GENERAL USE GLOVES CAN COVER A WIDE RANGE OF APPLICATIONS INCLUDING; WAREHOUSE TASKS, CONSTRUCTION WORK AND GENERAL HANDLING. OUR RANGE HAS BEEN DEVELOPED IN ORDER TO OFFER PROTECTION AND COMFORT WITHOUT COMPROMISING THE QUALITY OF THE TASK AT HAND. THIS RANGE INCLUDES PU, LATEX AND NITRILE COATED GLOVES.

GLOVE MODEL : 100RB

Description : 100 RB is a 13-gauge Five-finger Red Nylon or Polyester knitted liner glove with a Black Polyurethane coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand and is very popular for general handling operations.

EN 388 CAT II

Abrasion	4
Cut	1
Tear	4
Puncture	1



Ideal For : Warehouse Work • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 100BB

Description : 100 BB is a 13-gauge Five-finger Black Nylon or Polyester knitted liner glove with a Black Polyurethane coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand and is very popular for general handling operations.

EN 388 CAT II

Abrasion	4
Cut	1
Tear	4
Puncture	1



Ideal For : Warehouse Work • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 103RB

Description : 103 RB is a five-finger Red Nylon or Polyester knitted liner glove with a Black Nitrile coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand. It is very popular in oily environments such as the automobile industry and is also used for delicate engineering operations

EN 388 CAT II

Abrasion	4
Cut	1
Tear	3
Puncture	1



Ideal For : Automotive • Carpentry • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 103BB

Description : 103 BB is a five-finger Black Nylon or Polyester knitted liner glove with a Black Nitrile coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand. It is very popular in oily environments such as the automobile industry and is also used for delicate engineering operations

EN 388 CAT II

Abrasion	4
Cut	1
Tear	3
Puncture	1



Ideal For : Automotive • Carpentry • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 100GG

Description : 100 GG is a Five-finger Grey Nylon or Polyester knitted liner glove with a Grey Polyurethane coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand and is very popular for general handling operations and is also used for delicate engineering operations.



EN 388 CAT II	Abrasion	4
	Cut	1
	Tear	4
	Puncture	1



Ideal For : Warehouse Work • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 100WW

Description : 100 WW is a five-finger White Nylon or Polyester knitted liner glove with a White Polyurethane coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand and is very popular in the packaging & DIY industries, painting and decorating.



EN 388 CAT II	Abrasion	4
	Cut	1
	Tear	4
	Puncture	1



Ideal For : Packing • Painting & Decorating • Carpentry • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 103WG

Description : 103 WG is a five-finger White Nylon or Polyester knitted liner glove with a Grey Nitrile coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus avoiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand, it is very popular in the automobile industry because of its suitability for oily environment.



EN 388 CAT II	Abrasion	4
	Cut	1
	Tear	3
	Puncture	1



Ideal For : Automotive • Carpentry • General Handling • Mechanical Industry

Packaging: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 103FLX

Description : A five finger Seamless Knitted Nylon Glove with Porous Breathable Nitrile Foam coating on palm and fingertips. This glove provides excellent grip and has high abrasion resistance. Uncoated part on the back of the hand provides ventilation keeping the hands cool by allowing them to breathe. The elasticated knit wrist ensures a secure fit and keeps the hands free from dust and debris.



EN 388 CAT II	Abrasion	4
	Cut	1
	Tear	3
	Puncture	1



Ideal For : Component Handling • General Assembly • Electronics • Light Engineering Work

Packaging: Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : S - 7 to XL - 10

GLOVE MODEL : 103NF

Description : A Five-Finger Seamless Knitted Nylon Glove with Nitrile Foam coating on the palm and fingertips. This glove provides excellent grip and has high abrasion resistance. The back of the glove is uncoated thus keeping the hands cool by providing breathability and ventilation. The elasticated knit wrist ensures a more secure fit and keeps the hands free from dust and debris.



EN 388 CAT II

Abrasion	4
Cut	1
Tear	2
Puncture	2



Ideal For : Component Handling • General Assembly • Electronics • Light Engineering Work

Packaging: Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : M- 8 to XL - 10

GLOVE MODEL : 100RB-1

Description : 100 RB-1 is a three half-digit five-finger Red Nylon or Polyester knitted liner glove with a Black Polyurethane coating on the palm and on the fingertips. The back of the glove remains uncoated providing good ventilation to the hand thus voiding perspiration and clamminess. This glove fits like a second skin, molding to the operator's hand and is very popular in the automobile industry and is also used for delicate engineering operations.



EN 388 CAT II

Abrasion	4
Cut	1
Tear	4
Puncture	1



Ideal For : Automotive • Carpentry • General Handling • Mechanical Industry

Packaging: Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : M - 8 to XXL - 11

GLOVE MODEL : 118 RB

Description : The 118 RB is an 18 gauge Red liner glove with a smooth black PU finish that makes it exceptionally lightweight and comfortable to wear. It's made for situations where precision handling is required. The entire glove feels like a second skin, and the smooth black PU coating provides excellent grip. It has improved breathability and provides exceptional comfort over long periods of use.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	2
	Puncture	1



Ideal For : Engineering • Automotive • Carpentry • General Handling • Mechanical Industry • Manufacturing

Packing: Individually Packed • 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : 118 BB

Description : The 118 BB is an 18 gauge Blue liner glove with a smooth black PU finish that makes it exceptionally lightweight and comfortable to wear. It's made for situations where precision handling is required. The entire glove feels like a second skin, and the smooth black PU coating provides excellent grip. It has improved breathability and provides exceptional comfort over long periods of use.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	2
	Puncture	1



Ideal For : Engineering • Automotive • Carpentry • General Handling • Mechanical Industry • Manufacturing

Packing: 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XXL - 11

GLOVES MODEL : HC - 300

Description : A ¾ Coated grey 13 gauge liner glove with double Blue latex coating from the palm to the knuckles at the back. Fingertips are further reinforced with Black crinkle latex coating, making this a robust glove for construction and other general handling work.

Ideal For: Construction Work • Brick Laying • Warehouse • Gardening

Conforms : EN388 :2016: 3132X



Sizes: M - 8 to XXL - 11

Packaging : 12 Pairs per pack • 10 Packs per carton



GLOVES MODEL : GRIP & GRAB

Description : Grip & Grab gloves, also called Builder's Mate, are a dexterous version of our EQLTX & HQLTX, made with 13-Gauge Black nylon liner and a hardwearing Black latex coating on the palm and fingertips. Crinkle latex gives outstanding grip. This glove is suitable for building & construction work, concrete & brick handling, household and gardening.

EN 388 CAT II

Abrasion	3
Cut	1
Tear	2
Puncture	1



Ideal For: Construction • Outdoor General Handling • Plastering • Warehouse

Sizes: M - 8 to XXL – 11

Packaging : 12 pairs in a polybag • 10 polybag per case



GLOVE MODEL : FC-THERM-328

Description : A fully latex coated glove made with a 13-Gauge Nylon Shell inside of which is a 7-Gauge Terry lining, creating a soft and comfortable hand-feel. The glove is fully coated again with a Sandy Latex finish on both palm and fingertips for extra grip and durability, and to ensure no water penetration to the inside.



EN 388 CAT II	Abrasion	3
	Cut	2
	Tear	3
	Puncture	1



Ideal For : Working in wet conditions • Construction • Outdoor General Handling • Gardening

Packing : Individually Packed • 12 Pairs in a Polybag • 10 Polybag per Case

Sizes Available : S - 7 to XXL – 11

GLOVE MODEL : FC328

Description : FC 328 is a fully coated waterproof glove made with a 13-gauge nylon liner, fully coated with latex on the front and back of the hand. Being waterproof and double coated on the palm and fingertips, it provides excellent grip in wet and dry conditions while maintaining great dexterity, flexibility and comfort. This model has proved to be a particularly popular glove in the industry.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	1



Ideal For : Working in wet conditions • Construction • Outdoor General Handling • Gardening

Packaging : Individually Packed • 12 Pairs in a Polybag • 10 Polybags per Case

Sizes Available : S - 7 to XXL - 11

GLOVE MODEL : HQ LTX - G

Description : Our Model HQ LTX - G is a five liner 10 gauge Grey mixed fibre shell with hard wearing Blue Latex coating on the palm and fingertips. Suitable for building & construction work, concrete & brick handling. This glove combines visibility, warmth and comfort. This is a very popular glove among builders, construction workers, warehouse operatives, road workers and is also known in the PPE industry as GRIP & GRAB gloves.



EN 388 CAT II

Abrasion	3
Cut	2
Tear	4
Puncture	3



Ideal For :

Construction • Outdoor General Handling • Plastering • Warehouse

Packaging :

1 pair in a bag • 12 pairs in a polybag • 10 polybags per Case

Sizes Available : M - 8 to XXL - 11

GLOVE MODEL : EQ LTX YELLOW/GREEN

Description : Our Model EQ LTX is a Yellow or Green cotton coated with hard wearing Orange or Green Latex on the palm and fingertips. Suitable for building & construction work, concrete & brick handling. This glove combines visibility, warmth and comfort. This is a very popular glove among builders, construction workers, warehouse operatives, road workers and is also known in the market as GRIP & GRAB gloves.



EN 388 CAT II

Abrasion	4
Cut	2
Tear	4
Puncture	2



Ideal For :

Construction • Outdoor General Handling • Plastering • Warehouse

Packaging :

12 pairs in a polybag • 10 polybags per Case

Sizes Available : M - 8 to XXL - 11

GLOVE MODEL : HI VIZ 7

Description : This is a comfortable and warm five-finger glove made with fluffy cotton liner with high-grip crinkle latex coating on the palm and fingertips, with a high tear protection factor. Made with a 7-gauge thick fluffy cotton liner to provide warmth and comfort. The snug fit means that there is no loose material to get caught up in machinery. Our extremely popular Hi Vis Gloves are perfectly suited to satisfy the requirements of wearers that need improved hand awareness in colder temperatures.



EN 388 CAT II	Abrasion	2
	Cut	2
	Tear	4
	Puncture	2



Ideal For : Working in Fridges and Freezers • Construction • Outdoor General Handling

Packing : 1 pair in a bag • 12 pairs in a polybag • 10 polybags per case

Sizes Available : M - 8 to XL - 10

GLOVE MODEL : THERMAL 7

Description : THERMAL 7 is a 7-gauge brushed terry knit acrylic glove with crinkle latex coating on palm and thumb. Provides excellent cold weather protection at an economical price. Latex coated palm and thumb provide super grip and protection. Excellent thermal insulation. Hi-Vis orange colouring makes this product highly visible. Knit wrist helps prevent entry of dust to the hand. Colour coded binding for size identification.



EN 388 CAT II	Abrasion	2
	Cut	2
	Tear	4
	Puncture	2



Ideal For : Working in Fridges and Freezers • Construction • Outdoor General Handling

Packing : 1 pair in a bag • 12 pairs in a polybag • 10 polybags per case

Sizes Available : M - 8 to XL - 10

GLOVE MODEL : A105-P

Description : A useful and versatile general purpose dotted nylon glove with a knitted wrist for added user comfort. A close fitting design offers high levels of dexterity for precise and delicate tasks. PVC dotting on the front of the gloves provides improved dry grip and abrasion resistance. Durable construction and design gives gloves a long lifetime for increased economy. Ideal for a wide range of tasks including light general handling, assembly product protection and packing.



EN 388 CAT II	Abrasion	3
	Cut	1
	Tear	3
	Puncture	X



Ideal For : Warehouse • Electronics • General Handling • Mechanical Industry

Packaging : 10 pairs in a bigger polybag • 100 pairs in a carton

Sizes Available : S - 7 to XL - 10

GLOVE MODEL : A105-P 3 Digit

Description : A useful and versatile general purpose 3-digit dotted nylon glove with a knitted wrist for added user comfort. A close fitting design offers high levels of dexterity for precise and delicate tasks. PVC dotting on the front of the gloves provides improved dry grip and abrasion resistance. Durable construction and design gives gloves a long lifetime for increased economy. Ideal for a wide range of tasks including light general handling, assembly product protection and packing.



EN 388 CAT II	Abrasion	3
	Cut	1
	Tear	4
	Puncture	X



Ideal For : Warehouse • Electronics • General Handling • Mechanical Industry

Packaging : Individually Packed • 10 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : S - 7 to XL - 10

GLOVE MODEL : FL-103-6

Description : This glove strikes the right balance between protection against mechanical and environmental hazards and comfort, so that it can be worn over longer periods without discomfort. It is made from a soft and flexible Latex Foam palm coating on a comfortable, seamless Orange polyester liner. The sponge foam latex palm is resilient and flexible offering superb grip in dry and wet conditions, making it perfect for a wide variety of handling duties.

Model Ref FL-103-6 Foam Latex Coated Gloves feature a liner that is breathable on the rear of the hand. This allows the hands to stay cool over extended periods of use, which is perfect for workers engaged in handling tasks throughout the day.



EN 388 CAT II	Abrasion	3
	Cut	1
	Tear	3
	Puncture	1



Ideal For : Construction • General Handling • Plumbing • Warehouse • Gardening

Packaging : 6 pairs in a polybag • 20 polybags per Carton

Sizes Available : M - 8 to XXL - 11

GLOVES MODEL : TOUCH SCREEN GLOVES

Description : This product is a minimum risk knitted dot glove that is touch screen compatible. It is a fantastic alternative to disposable gloves. It is a more sustainable and less expensive solution. The gloves are breathable, which makes them wearable for an entire shift, and can be worn while using cell phones, kiosks, iPads, and touch-screen monitors. The touch screen glove works as a barrier between the surface and the hands stopping the transmission of viruses / bacteria. The glove can be washed and used multiple times.



Ideal For: Retail Trade • Logistics • Food & Beverage • Public Transportation

Packaging: Individually Packed • 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available: S - 7 to XL - 10

GLOVE MODEL : 010 WW

Description : Uncoated 13 gauge white cotton liner glove mostly used thermal liner. These liner gloves provide a comfy layer for hands thanks to their seamless and snug fitting design. They made of durable nylon and are washable and reusable, reduce the waste and protective equipment cost. These white glove comes in a pack of 12 pairs. They come in a single size and designed to suit most hands. Nylon liners are appropriate usage in sterile environment where gloves are required such as research laboratories or food processing and packing facilities.

CE Certification: Minimum Risk Only

Ideal For : Packing & General Assembly • Inspection • used as thermal liner

Packaging : Individually Packed • 12 pairs in a polybag • 20 polybags per Case

Sizes Available : One Size



GLOVES MODEL : MIXED FIBRE GLOVE

Description : Seamless knitted 7 gauge bleached white Mixed Fibre (Cotton-rich) gloves are simple, effective and hard-wearing as well as being comfortable and versatile. Whether you work in food processing or general handling, these are the ideal choice for you. Whilst working in wet or cold environments this glove can be used as an inner glove underneath vinyl or nitrile disposable gloves.

Ideal For : Light Assembly Work • General Handling • Warehousing

Packing : 12 Pairs in a Polybag • 25 Polybag per Case

Sizes Available : One Size



GLOVES MODEL : NF002

Description : These Pink gloves are 13-gauge, flower patterned, polyester lined, and nitrile palm coated for easy grip.

EN 388 CAT II

Abrasion	4
Cut	1
Tear	3
Puncture	1



Ideal For : Gardening • General Handling

Packaging : Individually Packed • 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XL - 10

GLOVES MODEL : NF004

Description : These Green gloves are 13-gauge, flower patterned, polyester lined, and nitrile palm coated for easy grip.

EN 388 CAT II

Abrasion	4
Cut	1
Tear	3
Puncture	1



Ideal For : Gardening • General Handling

Packing : Individually Packed • 12 pairs in a bigger polybag • 240 pairs in a carton

Sizes Available : S - 7 to XL - 10

GLOVE MODEL : PVC-R-40

Description : Our PVC Dip Gauntlets are perfect for a range of industrial processing and public utility tasks. Cat III Complex Design. Conforms to EN 388 levels 4-1-3-1. Conforms to EN 374 (low chemical use). Medium weight PVC dip. Cotton inter-lock liner. Abrasion resistant.

Length :

18" (45 cm)



EN 388 CAT II

Abrasion	4	4131X	Parts 1-3 (Low Chemical Use)
Cut	1		
Tear	3		
Puncture	1		



Ideal For : Industrial Processing • Refining • Public Utilities

Packaging : 6 pairs in a bigger polybag • 60 pairs in a carton


Sizes Available : XL - 10

GLOVE MODEL : Green Nitrile Gauntlet

Description : This green nitrile coated gauntlet product model: SuperChem-I protects the user's entire hand, wrist, and forearm while in contact with chemicals, solvents, and other hazardous materials and liquids. This SuperChem-I Chemical Resistant Gloves have the highest EN 388 abrasion resistance grade, are 100% safe for food contact, and are resistant to 9 commonly encountered chemicals. The diamond grip textured palm and fingertips provide the user with additional grip.

EN 388 CAT II

Abrasion	4
Cut	1
Tear	2
Puncture	1



Ideal For : Industrial Cleaning • Chemical Handling • Janitorial • Degreasing

Packaging : • Individually Packed • 12 pairs in a polybag • 120 pairs in a carton

Sizes Available : M-8 to XL-10

GLOVE MODEL : FC320

Description : These PVC knit wrist gloves are fully coated and so ideal for outdoor work and offer excellent resistance to abrasion. They are popular for industrial, home and commercial use. They are exceptionally popular with outdoor workers, including roofers, council and site workers. With a soft cotton knit-wrist, our PVC Dip Knit Wrist Gloves offer added comfort whilst providing excellent protection against a range of substances.

EN 388 CAT II	Abrasion	3
	Cut	1
	Tear	2
	Puncture	1



Ideal For : Maintenance • Transportation • General Handling • Construction • Cement Handling
• Working in Wet Environments

Packaging : 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : L - 9 to XL - 10

GLOVE MODEL : NTR-FC-L

Description : These Nitrile Coated knit wrist gloves are fully coated, making them ideal for outdoor work and providing excellent abrasion resistance. They are popular for industrial, residential, and commercial applications. They are especially popular among outdoor workers, such as roofers, council members and construction workers. Our Nitrile dipped Knit Wrist Gloves have a soft cotton knit-wrist and provide excellent protection against a variety of substances and sharp objects.

EN 388 CAT II	Abrasion	3
	Cut	1
	Tear	3
	Puncture	1



Ideal For : Maintenance • Transportation • General Handling • Construction • Cement Handling
• Working in Wet Environments

Packaging : 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : L - 9 to XL - 10



CUT RESISTANT GLOVES



DESCRIPTION:

CUT RESISTANT GLOVES RANGE FROM CUT LEVEL 1-5 OR A-F, ACCORDING TO THE NEW EN388 STANDARDS. OUR CUT RESISTANT RANGE HAS RAPIDLY DEVELOPED OVER THE YEARS SOLELY THROUGH LISTENING TO OUR CUSTOMERS AND OFFERING INNOVATIVE PRODUCTS DESIGNED ESPECIALLY FOR THEM. SUPREMETTF HAVE DEVELOPED A RANGE TO OFFER BOTH HIGH CUT RESISTANCE AS WELL AS EXCELLENT DEXTERITY, A KEY CHALLENGE FACED BY THE INDUSTRY.

GLOVE MODEL : 501D

Description : Premium Cut Level D Liner Glove mixed with spandex and nylon to give that extra tight fit to the hand. This glove is coated with grey polyurethane providing excellent grip. It provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting. This glove provides very good overall protection to the user.



EN 388 CAT II -

Abrasion	4
Cut	5
Tear	4
Puncture	3



Ideal For : Automotive/Mechanical Industry • Sheet Metal Handling • Construction

Packaging : Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : M - 8 To XXL - 11

GLOVE MODEL : 501 EC

Description : A Cut Level 5 Liner Gloves made with cut resistant glass fibre yarn, nylon and spandex with black polyurethane coating on the palm and fingertip. This glove provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting. This glove provides very good overall protection to the user at an economic price.



EN 388: CAT II -

Abrasion	4
Cut	5
Tear	4
Puncture	3



Ideal For : Automotive/Mechanical Industry • Sheet Metal Handling • Construction

Packaging : Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : M - 8 To XL - 10

GLOVE MODEL : 500 X-BLUE

Description : A Cut Level 5 Grey Liner glove made with cut resistant fiber, nylon and spandex. This glove provides resistance to sharp edges and is ideal for food manufacturing. High abrasion levels make it strong and long lasting. This glove provides excellent protection to the user.



EN 388 CAT II	Abrasion	4
	Cut	5
	Tear	4
	Puncture	X



Ideal For : Automotive/Mechanical Industry • Sheet Metal Handling • Construction • Food Manufacturing

Packaging : Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : M - 8 To XL - 10

GLOVE MODEL : 500 WW

Description : A Cut Level 5 White Liner glove made with HDPE liner and with a mixture of paramid cut resistant and polyamide elasticated cut resistant fiber, nylon and spandex with white polyurethane coating on the palm and fingertips. This glove provides resistance to sharp edges and is ideal for glass handling. High abrasion levels making it strong and long lasting. This glove provides very good protection to the user. A truly superb highly dexterous and sensitive glove with plenty of dexterity.



EN 388 CAT II	Abrasion	4
	Cut	5
	Tear	4
	Puncture	X



Ideal For : Automotive/Mechanical Industry • Sheet Metal Handling • Construction • Food Manufacturing

Packaging : Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : S - 7 To XL - 10

GLOVE MODEL : 500GRB

Description : 500 GRB is a Green Cut 5 liner glove made with cut resistant fiber, nylon and spandex with black polyurethane coating on the palm and fingertips. An economical glove which provides very good protection to the user. It is resistant to sharp edges and is ideal for glass handling. High abrasion levels, make it strong and long lasting.



EN 388 CAT II

Abrasion	4
Cut	5
Tear	4
Puncture	3



Ideal For : Automotive • Warehouse • Construction • Transport • Light engineering • Steel erection

Packaging : Individually packed • 12 pairs per polybag • 10 Bags per Case

Sizes Available : M - 8 To XL -10

GLOVE MODEL : 500 GRB - 1

Description : A Cut Level 5 Three Half-Digit Green Liner glove made with cut resistant fiber, nylon and spandex with black polyurethane coating on the palm and fingertips. This glove provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting. This glove provides very good protection to the user.



EN 388 : 2003 4543
EN 388 : 2016 4X43C



4X43C

Ideal For : Automotive/Mechanical Industry • Sheet Metal Handling • Construction

Packaging : Individually Packed • 12 pairs per polybag • 120 pairs in a carton

Sizes Available : M – 8 To XL - 10

GLOVE MODEL : 500 GB

Description : A Cut Level 5 Grey Liner glove made with cut resistant fiber, nylon and spandex with black polyurethane coating on the palm and fingertips. This glove provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting. This glove provides very good protection to the user.



EN 388 CAT II

Abrasion	4
Cut	5
Tear	4
Puncture	3



Ideal For :

Automotive/Mechanical Industry • Sheet Metal Handling • Construction

Packaging :

Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available :

S - 7 To XXL - 11

GLOVE MODEL : 303FLX

Description : Cut Level 3 Liner Glove mixed with spandex and nylon to give that extra fitting to the hand. This glove is coated with porous breathable nitrile foam providing excellent grip against oily conditions. It provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting, providing very good overall protection to the user.



EN 388 CAT II

Abrasion	4
Cut	5
Tear	4
Puncture	3



Ideal For :

Automotive/Mechanical Industry • Sheet Metal Handling • Construction • Oil & Gas

Packaging :

Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available :

S - 7 To XL -10

GLOVE MODEL : 300 LTX

Description : A Cut Level 3 Grey Liner glove made with cut resistant fiber, nylon and spandex with Black Crinkle Latex coating on the palm and fingertips. This glove provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting. This glove provides very good protection to the user.



EN 388 CAT II

Abrasion 4
Cut 3
Tear 4
Puncture 3



Ideal For :

Automotive/Mechanical Industry • Sheet Metal Handling • Construction

Packaging :

Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available:

S - 7 To 2XL - 11

GLOVE MODEL : 300 GB

Description : A Cut Level 3 Grey Liner glove made with cut resistant fiber, nylon and spandex with Black Polyurethane coating on the palm and fingertips. This glove provides resistance to sharp edges and is ideal for glass handling. High abrasion levels make it strong and long lasting. This glove provides very good protection to the user.



EN 388 CAT II

Abrasion 4
Cut 3
Tear 4
Puncture 3



Ideal For :

Automotive/Mechanical Industry • Sheet Metal Handling • Construction

Packing :

Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available:

S - 7 To XL - 10

GLOVE MODEL : 300 OB-1

Description : 300 OB-1 is a Three Half-Digit Orange Liner glove made with cut resistant fibre, nylon and spandex with black polyurethane coating on the palm and fingertips. This glove provides resistance to sharp edges. It is ideal for glass handling. High abrasion levels, make it strong and long lasting. This is the 3-digit version of our model no. 300 OB.



EN 388 CAT II

Abrasion	4
Cut	3
Tear	4
Puncture	3



Ideal For :

Automotive • Warehouse • Construction • Maintenance • Transport • Telecommunications
Light engineering • Steel erection

Packing :

Individually packed, 12 pairs / bag, 10 Bags per Case

Sizes Available : M - 8 To XL - 10

GLOVE MODEL : 300OB

Description : 300 OB is an Orange Liner glove made with cut resistant fibre, nylon and spandex with black polyurethane coating on the palm and fingertips. An economical glove which provides very good protection to the user. This glove provides resistance to sharp edges, ideal for glass handling. High abrasion levels, make it strong and long lasting.



EN 388 CAT II

Abrasion	4
Cut	3
Tear	4
Puncture	3



Ideal For :

Automotive • Warehouse • Construction • Maintenance • Transport • Telecommunications
Light engineering • Steel erection

Packaging :

Individually packed, 12 pairs / bag, 10 Bags per Case

Sizes Available : M - 8 To XL - 10

GLOVES MODEL : 555B - E

Description : A Cut Level E Mottled Dark Blue Liner glove made with cut resistant fiber, nylon and spandex with black polyurethane coating on the palm and fingertips. This glove is designed to offer excellent dry & wet grip, enhanced cut resistance as well as dexterity.



4EN388: 2003 - 4543

EN388: 2016 - 4X42

Packaging: Individually Packed • 12 Pairs in a bigger polybag • 120 Pairs in a carton

Ideal For: Manufacturing & Maintenance • Engineering • Construction • Automotive

Sizes Available: M - 8 to XL - 10

GLOVES MODEL : 603 GRB - F

Description : This grade F cut resistant glove is our highest rated in the category and represents the ultimate in cut resistance. The Mottled Light Blue liner is made from a composite 13-gauge yarn. The black coating is a double dipped porous breathable nitrile foam. Designed to offer excellent dry and wet grip, enhanced cut resistance as well as dexterity and breathable protection against abrasion. A truly superb highly dexterous and sensitive glove.



4EN388: 2003 - 4543

EN388: 2016 - 4X42

Packaging: Individually Packed • 12 Pairs in a bigger polybag • 120 Pairs in a carton

Ideal For: Manufacturing & Maintenance • Engineering • Construction • Automotive

Sizes Available: M - 8 to XXL - 11

GLOVE MODEL : 505 C

Description : A five finger glove made with 15G HPPE shell . It Is Coated with micro foam nitrile for excellent grip, A unique highlight is its nitrile crotch reinforcement, most glove wears out from this part, this reinforcement essentially adds life of the glove to two fold. Back of glove is hot transfer printing to make it more visible of important information.



EN 388 CAT II	Abrasion	4
	Cut	X
	Tear	4
	Puncture	3



Ideal For : Manufacturing & Maintenance • Engineering • Construction & Automotive

Packing : Individually Packed • 12 pairs in a polybag • 10 polybags per case

Sizes Available : M - 8 to XL - 10

GLOVE MODEL : D118-GB

Description : An advancement in safety gloves that provides cut resistance while retaining the most important FEEL. Despite being made of an ultra-thin 18 gauge yarn, it has a cut resistance level of D. Nitrile Micro Foam coating on the palm and fingertips adds grip and durability. Overall, the result is the most dexterous, soft, and flexible cut resistance level D glove, ushering in a new era of comfort and efficiency while keeping the operator safe.



EN 388 CAT II	Abrasion	4
	Cut	X
	Tear	4
	Puncture	3



Ideal For : Manufacturing & Maintenance • Engineering • Construction & Automotive

Packing : Individually Packed • 12 pairs in a polybag • 10 polybags per case

Sizes Available : S - 7 to XXL - 11

GLOVES MODEL : FC-THERM-328E

Description : A fully -coated glove with a thermal Liner made with a Cut Resistant Fibre tested under EN388 :2016 as level E. While providing cut resistance , this glove keeps hands Warm & Dry with a terry brushed liner inside the glove . The glove is fully double dipped with sandy Nitrile coating to provide excellent grip.

Ideal For : Outdoor working where there is risk from sharp edges, Sheet Metal Handling, Construction, Automotive/Mechanical Industry, Gardening

Packing : Individually Packed • 12 Pairs in a Polybag • 10 PolybagsperCase





LEATHER GLOVES

DESCRIPTION:

OUR LEATHER GLOVES ARE MADE FROM COWHIDE, THE MOST COMMON AND POPULAR TYPE OF LEATHER USED FOR PROTECTIVE GLOVES CREATING A MODERATELY PRICED, COMFORTABLE DURABLE GLOVE WITH EXCELLENT ABRASION RESISTANCE, IT IS WARMER THAN PIG OR GOATSKIN AND IS MORE RESISTANT TO HEAT.

GLOVES MODEL : DG-YCG

Description : Our model DG –YCG is made with a Yellow high quality soft cow grain leather with cotton lining for warmth and comfort. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is flexible with enhanced user comfort. Elasticated cuff for a secure fit. The cuffs are short so as not to restrict movement, keystone thumb for extra support.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	3



Ideal For : Outdoor working in cold conditions • Forklift & Lorry drivers • Warehousing • Leisure

Packaging : 10 pairs in a polybag • 100 pairs in a carton

Sizes Available : M – 8 to 2XL - 11

GLOVES MODEL : DG-WCG-L

Description : Our model DG –WCG-L is made with White high quality soft cow grain leather with cotton lining for warmth and comfort. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is flexible with enhanced user comfort. Elasticated cuff for a secure fit; the cuffs are short so as not to restrict movement; Keystone thumb for extra support. This glove is the white version of the DG-YCG.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	2
	Puncture	2



Ideal For : Outdoor working in cold conditions • Forklift & Lorry drivers • Warehousing • Leisure

Packaging : 10 pairs in a polybag • 100 pairs in a carton

Sizes Available : M – 8 to 2XL - 11

GLOVES MODEL : DG-YCG-UL

Description : Our model DG-YCG-UL is made Yellow high quality soft cow grain leather. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is very soft and flexible with enhanced user comfort. Elasticated cuff for a secure fit; the cuffs are short so as not to restrict movement;. Keystone thumb for comfort and dexterity. This is the unlined version of the DG-YCG.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	3



2133

Ideal For : Outdoor working in cold conditions • Forklift & Lorry drivers • Warehousing • Leisure

Packaging : 10 pairs in a polybag • 100 pairs in a carton

Sizes Available : M – 8 to XL - 10

GLOVES MODEL : DG-WCG-UL

Description : Our model DG-WCG-UL is made with White high quality soft cow grain leather. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is very soft and flexible with enhanced user comfort. Elasticated cuff for a secure fit; the cuffs are short so as not to restrict movement;. Keystone thumb for comfort and dexterity. This is the white version of the DG-WCG-UL.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	3



2133

Ideal For : Outdoor working in cold conditions • Forklift & Lorry drivers • Warehousing • Leisure

Packaging : 10 pairs in a polybag • 100 pairs in a carton

Sizes Available : M – 8 to XL - 10

GLOVES MODEL : DG-COMBO

Description : Our Model DG-COMBO is made with high quality soft quality cow grain leather with soft fleecy cotton lining for warmth and comfort. It is called Combo because the front of the hand is a smooth leather whilst the back made with Split leather. Supple leather reduces hand and finger fatigue. A premium leather glove which is very soft and flexible. It enhances user comfort, the elasticated cuff for a secure fit, Keystone thumb for enhanced support.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	3



Ideal For : Outdoor working in cold conditions • Forklift & Lorry drivers • Warehousing

Packaging : 10 pairs in a polybag • 100 pairs in a carton

Sizes Available : M – 8 to XL – 10

GLOVES MODEL : Hi-Viz Thermal Rigger Gloves

Description : Our model DG-WCG-UL is made with White high quality soft cow grain leather. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is very soft and flexible with enhanced user comfort. Elasticated cuff for a secure fit; the cuffs are short so as not to restrict movement; Keystone thumb for comfort and dexterity. This is the white version of the DG-WCG-UL.



EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	3



Ideal For : Metal Handling • Scaffolding • Warehousing • Construction • Rigging

Packaging : 5 pairs in a polybag • 50 pairs in a carton

Sizes Available : XL – 10

Colors Available: Orange • Yellow

GLOVES MODEL : DG MECHANICAL

Description : Our model DG-Mechanical is made with supple leather that is high quality soft cow grain leather with cotton lining for warmth and comfort. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is very soft and flexible with enhanced user comfort. Elasticated cuff together with Velcro Fastener at the wrist for adjusting to hand size. Reinforced palm for durability and extra layer of protection



Conforms To : EN388:3143X

EN388 CAT II :

Abrasion	3
Cut	1
Tear	4
Puncture	3



Ideal For : Mechanical Work Gloves • Drivers Gloves • Warehousing • Leisure
Packing : 10 pairs in a polybag • 100 pairs in a carton
Size : One Size - 9

GLOVE MODEL : GREEB RIGGER DPALM

Description : One of our most popular gloves, the heavy weight fabric and fleece palm liner make this glove very comfortable to wear without affecting dexterity. This product is for heavy jobs where added protection is essential. Two layers of well tanned contrast coloured leather combine where it's most needed - across the palm, around the fore finger and across the thumb face to give tough support.



EN 388 CAT II

Abrasion	4
Cut	1
Tear	3
Puncture	3



Ideal For : Maintenance • Transportation • Metal Handling • Constructions
Packing : 10 pairs in a bigger polybag • 120 pairs in a carton
Sizes Available : XL - 10

GLOVE MODEL : RED RIGGER

Description : One of our most popular gloves, the Red & White heavy weight fabric and fleece palm liner make this glove very comfortable to wear without affecting your dexterity. This product is for those having heavy jobs where added protection is essential. This is a Single Palm Rigger Glove.

EN 388 CAT II	Abrasion	2
	Cut	1
	Tear	3
	Puncture	3



Ideal For : Maintenance • Transportation • Metal Handling • Constructions

Packaging : 10 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : XL - 10

GLOVE MODEL : YELLOW RIGGER

Description : One of our most popular gloves, the Yellow & White heavy weight fabric and fleece palm liner make this glove very comfortable to wear without affecting your dexterity. This product is for those having heavy jobs where added protection is essential. This glove is the yellow version of the Red Single Palm Rigger gloves.

EN 388 CAT II	Abrasion	4
	Cut	1
	Tear	3
	Puncture	3



Ideal For : Maintenance • Transportation • Metal Handling • Constructions

Packaging : 10 pairs in a bigger polybag • 100 pairs in a carton

Sizes Available : XL - 10

GLOVE MODEL : RED RIGGER DPALM

Description : One of our most popular gloves, the Red & White heavy weight fabric and fleece palm liner make this glove very comfortable to wear without affecting your dexterity. This product is for those having heavy jobs where added protection is essential. Two layers of well tanned contrast coloured leather combine where it's most needed - across the palm around the forefinger and across the thumb face to give tough yet supple support. This is a Heavier Duty Double Palm Rigger glove.



EN 388 CAT II

Abrasion	4
Cut	1
Tear	3
Puncture	3



Ideal For : Maintenance • Transportation • Metal Handling • Constructions

Packaging : 10 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : XL - 10

GLOVE MODEL : PALPALI

Description : These general handling rigger gloves are tough and hard-wearing. these reliable gloves protect against abrasion and punctures for confident handling applications.



EN 388 CAT II :

Abrasion	3
Cut	1
Tear	2
Puncture	2



Ideal For : Maintenance • Transportation • Metal Handling • Construction

Packaging : 10 Pairs in a large polybag • 100 pairs in a carton

Sizes Available : XL - 10

PRODUCT MODEL : Yellow Welding Apron

Description : Full length chrome tanned cowhide leather apron, manufactured from yellow full grain cow hide leather. Fully lined with an acrylic fleece offering both cold and humidity resistance and providing maximum comfort and warmth. This apron is a must have for every welding works.



Ideal For : Welding • Metalworking • Carpentry • Smelting • Plasma Cutting

Size : 60 X 90 Cm



PRODUCT MODEL : White Welding Apron

Description : Our model DG-WCG-UL is made with White high quality soft cow grain leather. Supple leather reduces hand and finger fatigue. This is a premium leather glove which is very soft and flexible with enhanced user comfort. Elasticated cuff for a secure fit; the cuffs are short so as not to restrict movement;. Keystone thumb for comfort and dexterity. This is the white version of the DG-WCG-UL.



Ideal For : Welding • Metalworking • Carpentry • Smelting • Plasma Cutting

Size : 60 X 90 Cm



GLOVES MODEL : Red Welding Gauntlet

Description : Our longer-length Leather Welding Gauntlets are 14.5" long, come with a heavyweight split leather fully lined finish providing enhanced resistance to heat, yet maintaining the comfort of the user. A great choice for all manner of hot work and metal handling.

EN 407 : 413X4X
EN12477 : Class A
EN 388 : 4133X



Ideal For : Hot Work • Metal Handling

Packaging : 10 Pairs in a large polybag • 60 pairs in a carton

Sizes Available : XL - 10



MODEL : Cut Proof Sleeves Level 3 / 5

Description : Excellent level 3 cut resistant sleeves for multipurpose arm protection sleeves, to protect the arm from cuts and heat while preserving mobility and dexterity.
CUT Level 3 13 Gauge Black Nylon & HPPE Sleeve with Thumb Hole
 Length : 35cm / 45cm / 55cm (14 inches / 18 inches / 22inches)

Confirms to EN388 : 233X
Model : 3-SKD008-35/45/55



Description : CUT Level 5 : Excellent level 5 cut resistant sleeves for multipurpose arm protection, to protect the arm from cuts and heat while preserving mobility and dexterity.
 Length : 35cm / 45cm / 55cm (14 inches / 18 inches / 22inches)

Confirms EN388 : 2016 - 4X42C
Model Ref : HT-5-SKD008-45

Ideal For : Automotive/mechanical industry Glass industry Mechanical industry

Sizes Available : one size



DISPOSABLE GLOVES & PPE



DESCRIPTION:

OUR RANGE OF HIGH QUALITY DISPOSABLE PPE OFFERS QUALITY PROTECTION AND COMFORT TO THE USER. NITRILE, VINYL AND LATEX ARE THE MOST COMMON GLOVES IN THIS RANGE AS WELL AS MANY OTHER DISPOSABLE PPE SUCH AS DISPOSABLE APRONS, GOWNS AND FACE MASKS.

THIS RANGE IS MOSTLY USED IN THE FOOD, MEDICAL AND PHARMACEUTICAL INDUSTRIES.

GLOVE MODEL : BLUE NITRILE PF (NELO 3.0) Disposable Gloves

Description: This product is a five-finger ambidextrous powder-free Blue nitrile glove with textured fingers and a beaded / rolled edge cuff. This product is made entirely of nitrile (a synthetic co-polymer, also known as Carboxylate Acrylonitrile Butadiene or NBR). This glove is made without natural rubber latex proteins, is hypoallergenic, and has a low chemical content.

Colour: Blue

Medical Grade: AQL 1.5

Ideal For: Medical Examination • Pharmaceuticals • Food • Light Assembly and Parts Handling

Packaging : 100 gloves per box • 10 boxes in a carton

Sizes: S to XL



GLOVE MODEL : BLUE NITRILE PF (NELO 4.5) Disposable Gloves

Description: This product is a five-finger ambidextrous powder-free Blue nitrile glove with textured fingers and a beaded / rolled edge cuff. This product is made entirely of nitrile (a synthetic co-polymer, also known as Carboxylate Acrylonitrile Butadiene or NBR). This glove is made without natural rubber latex proteins, is hypoallergenic, and has a low chemical content. This Nelo 4.5 is a heavier quality version of the Nelo 3.0.

Colour: Blue

Medical Grade: AQL 1.5

Ideal For: Medical Examination • Pharmaceuticals • Food • Light Assembly and Parts Handling

Packaging : 100 gloves per box • 10 boxes in a carton

Sizes: S to XL



GLOVE MODEL : BLACK NITRILE PF (KALO 3.0)

Description: This product is a five-finger ambidextrous powder-free Black nitrile glove with textured fingers and a beaded rolled edge cuff. This product is made entirely of nitrile (a synthetic co-polymer, also known as Carboxylate Acrylonitrile Butadiene or NBR). This glove is made without natural rubber latex proteins, is hypoallergenic, and has a low chemical content.



Ideal For: Medical Examination • Pharmaceuticals • Food • Light Assembly and Parts Handling • Automotive

Medical Grade: AQL 1.5

Packaging : 100 gloves per box • 10 boxes in a carton

Sizes: S to XL

GLOVE MODEL : BLACK NITRILE PF (KALO 4.5)

Description: This product is a five-finger ambidextrous powder-free Black nitrile glove with textured fingers and a beaded / rolled edge cuff. This product is made entirely of nitrile (a synthetic co-polymer, also known as Carboxylate Acrylonitrile Butadiene or NBR). This glove is made without natural rubber latex proteins, is hypoallergenic, and has a low chemical content. This is the heavier version of the KALO 3.0 glove.



Ideal For: Medical Examination • Pharmaceuticals • Food • Light Assembly and Parts Handling • Automotive

Medical Grade: AQL 1.5

Packaging : 100 gloves per box • 10 boxes in a carton

Sizes: S to XL

GLOVE MODEL : BLACK DIAMOND GRIP GLOVES

Description: These robust and durable gloves feature a unique “diamond grip” texture across their surface, allowing for outstanding grip - even when being used in greasy environments. These disposable gloves are made from a heavy duty Nitrile, meaning that they are tough, tear resistant and have excellent stretch. They are also extremely easy to don and remove thanks to their polymer coating.



Colour: Black

Ideal For: Part Assembly • Industrial / Automotive Applications • Janitorial • General Household

Packing : 50 Gloves per box • 10 boxes in a carton

Sizes: M – 8 to XL - 10

GLOVE MODEL : ORANGE DIAMOND GRIP GLOVES

Description: These robust and durable gloves feature a unique “diamond grip” texture across their surface, allowing for outstanding grip - even when being used in greasy environments. These disposable gloves are made from a heavy duty Nitrile, meaning that they are tough, tear resistant and have excellent stretch. They are also extremely easy to don and remove thanks to their polymer coating.



Colour: White

Ideal For: Part Assembly • Industrial / Automotive Applications • Janitorial • General Household

Packing : 50 Gloves per box • 10 boxes in a carton

Sizes: M – 8 to XL - 10

GLOVE MODEL : LATEX POWDER FREE GLOVES

Description: This is an ambidextrous, powder-free five-finger Latex Glove with smooth fingers and a beaded / rolled edge cuff in Medical Grade AQL 1.5. Latex Gloves provide a unique combination of protection and comfort. These gloves provide an excellent barrier against biological pollutants. For increased wet and dry grip, the surface is fully textured.



Conforms : EN 455 parts 1-4 (11301-4 only) • ASTM D5250

Colour: White

Ideal For: Clinical Tasks and Laboratories • Food Processing • Medical • Hair & Beauty

Packing : 100 Gloves per box • 10 boxes in a carton

Sizes: S to XL

GLOVE MODEL : LONG CUFF NITRILE GLOVES

Description : Powder-Free Examination NELO Plus Extended Cuff Blue Nitrile Gloves are constructed of 100% Nitrile (non-latex), are ambidextrous, blue in color, have a finger texture, and are non-sterile. Our Latex gloves meet the strictest international requirements and are rigorously tested.



Colour : Blue

Ideal For : Medical Examination • Pharmaceuticals • Veterinary • Food • Light Assembly and Parts Handling

Packing : 100 gloves per box • 10 boxes in a carton

Size : S to XL

GLOVE MODEL : BLACK VITRILE PF (KALO 5.0)

Description: This is an ambidextrous, powder-free five-finger blended Black Nitrile + Vinyl hybrid glove with unsterile textured fingertips and a beaded / rolled edge cuff. This glove is hypoallergenic, has no natural rubber latex proteins, and is made with minimal chemicals. The compositions approximately 70% nitrile and 30% vinyl.



Conforms: ISO 13485, ISO 9001, CE, FDA

Medical Grade: AQL 1.5

Ideal For: Medical • Hospital • General Household Work • Food Processing

Packaging : 100 pcs per box • 10 boxes per carton

Sizes: S to XL

GLOVE MODEL : BLUE VITRILE PF (NELO 5.0)

Description: This is an ambidextrous, powder-free five-finger blended Blue Nitrile + Vinyl hybrid glove with unsterile textured fingertips and a beaded / rolled edge cuff. This glove is hypoallergenic, has no natural rubber latex proteins, and is made with minimal chemicals. The compositions approximately 70% nitrile and 30% vinyl.



Conforms: ISO 13485 • ISO 9001 • CE • FDA

Medical Grade: AQL 1.5

Application : Medical • Hospital • General Household Work • Food Processing

Packaging : 100 pcs per box • 10 boxes per carton

Sizes: S to XL

GLOVES MODEL : CLEAR VINYL POWDER FREE GLOVES

Description : This is a Medical Grade AQL 1.5, Clear ambidextrous, powder-free five-finger Vinyl glove, with smooth fingertips, and a beaded / rolled edge cuff. Vinyl gloves are a cost-effective alternative to latex and nitrile gloves. Sufficiently lightweight to provide great dexterity. Formulated from high quality polyvinyl chloride. Suitable for use in areas where strict hygiene rules apply.



Conforms: EN 455 parts 1-4 (11301-4 only), ASTM D5250

Ideal For: Clinical Tasks and Laboratories • Food Handling and Processing • Assembly Work

Packaging: 100 gloves per box • 10 boxes in a carton

Sizes: S to XL

GLOVES MODEL : BLUE VINYL POWDER FREE GLOVES

Description: This is a Medical Grade AQL 1.5, Blue ambidextrous, powder-free five-finger Vinyl glove, with smooth fingertips, and a beaded/rolled edge cuff. Vinyl gloves are a cost-effective alternative to latex and nitrile gloves. Sufficiently lightweight to provide great dexterity. Formulated from high quality polyvinyl chloride. Suitable for use in areas where strict hygiene rules apply.



Conforms: EN 455 parts 1-4 (11301-4 only), ASTM D5250

Ideal For: Clinical Tasks and Laboratories • Food Handling and Processing • Assembly Work

Packaging: 100 gloves per box • 10 boxes in a carton

Sizes: S to XL

GLOVE MODEL : BLUE VINYL POWDERED GLOVES

Description: This is an ambidextrous, powdered five-finger Vinyl glove with textured fingertips and a beaded / rolled edge cuff in Medical Grade AQL 1.5 Blue. Latex and nitrile gloves are expensive, therefore vinyl gloves are a good option. Formulated using high-quality polyvinyl chloride and maize starch that has been certified as GMO-free. Not suited for regions where powder particles are prone to pollute.



Conforms : EN 455 Part 1-4 (11301-4 only), ASTM D5250

Ideal for: Clinical Tasks and Laboratories • Food Handling and Processing • Assembly Work • Cleaning Industries

Packaging : 100 gloves per box • 10 boxes in a carton

Size : S to XL

GLOVE MODEL : CLEAR VINYL POWDERED GLOVES

Description: This is an ambidextrous, powdered five-finger Vinyl glove with textured fingertips and a beaded / rolled edge cuff in Medical Grade AQL 1.5 Clear. Latex and nitrile gloves are expensive, therefore vinyl gloves are a good option. Formulated using high-quality polyvinyl chloride and maize starch that has been certified as GMO-free. Not suited for regions where powder particles are prone to pollute.



Conforms : EN 455 Part 1-4 (11301-4 only), ASTM D5250

Ideal for: Clinical Tasks and Laboratories • Food Handling and Processing • Assembly Work • Cleaning Industries

Packaging : 100 gloves per box • 10 boxes in a carton

Size : S to XL

GLOVE MODEL : BLUE TPE GLOVES

Description : Our new Blue thermoplastic elastomer (TPE) gloves represent the newest offerings from Supreme TTF for the food service and food processing industries. As they're made from TPE these gloves are both strong and highly elastic. This helps to prevent them from ripping or tearing for greater reliability and improved hygiene when handling ingredients. The TPE material, alongside an embossed finish, gives these gloves great grip - allowing users to handle wet or dry food with complete confidence!



Ideal For : Food Processing • General Cleaning Works • Hair and Beauty • Laboratories

Packing : 200 gloves per box, 10 boxes per carton

Sizes Available : M to XL

GLOVE MODEL : CLEAR TPE GLOVES

Description : Our new Clear thermoplastic elastomer (TPE) gloves represent the newest offerings from Supreme TTF for the food service and food processing industries. As they're made from TPE these gloves are both strong and highly elastic. This helps to prevent them from ripping or tearing for greater reliability and improved hygiene when handling ingredients. The TPE material, alongside an embossed finish, gives these gloves great grip - allowing users to handle wet or dry food with complete confidence!



Ideal For : Food Processing • General Cleaning Works • Hair and Beauty • Laboratories

Packing : 200 gloves per box, 10 boxes per carton

Sizes Available : M to XL

DISPOSABLE PLASTIC APRONS

Description: Made from 100% low density polyethylene. Food safe and perfect for food handling in commercial and home use. Extra-long ties for easier adjustment. Resistant to chemicals, oils, fats, grease, and food contamination.

Confirms: ISO 13485, ISO 9001 , CE,

Ideal For: Medical • Hospitals • General Household works • Painting, Beauty salon • Food processing

Packaging: 100 pieces in a polybag, 1000 pieces in a Carton

Sizes Available: One Size



DISPOSABLE CPE GOWNS

Description: Our disposable CPE isolation gowns have an open back to avoid cross infection and allow for increased comfort and airflow. A closed loop neck allows the user to slip on over head and tear off quickly. Thumb loops ensure that the wrists are protected from fluids and infectious material. Made without any natural rubber latex so offering a hypoallergenic solution.

Confirms: ISO 13485, ISO 9001 , CE, AAMI LEVER 3/4

Ideal For: Medical • Hospitals • Food Processing • General Cleaning Works

Packing: 10 pcs per bag • 100 pcs per carton

Sizes Available: One Size



DISPOSABLE MOB CAPS

Description: With an enclosed double-elastic edge, our mob caps are made of soft, thermally bonded polypropylene fibre. The optimal barrier protection in a wide range of situations and a simple yet effective hair covering.



Material: Spun Polypropylene

Colour: White • Blue • Red

Applications: Food Processing • Janitorial • Hospitals • Medical and Healthcare • Pharmaceutical

Packaging : 100 in a polybag • 20 polybags in a carton

DISPOSABLE SLEEVE COVERS

Description: We manufacture and stock our Polyethylene Disposable Over sleeves in it's most popular blue colour, favoured by users working to hygiene rules, specifically in food processing and clean areas and more generally for wet working tasks. They are elasticated at both the elbow and the wrist ends.



Colour: Blue

Applications : Hospitals • Food processing • Cleaning • Laboratories • Medical

Packaging : 10 Pcs per roll • 10 Rolls per Polybag • 20 Polybags per Carton

Length: Length: 40cm x Width: 20cm.

CPE DISPOSABLE OVERSHOES

Description : Our CPE Overshoes are composed of high-quality embossed polyethylene that provides strength and traction on slick surfaces. To provide a suitable fit, they are elasticized at the ankle. In a variety of sectors, they can be used to protect floors and footwear, as well as to maintain environmental hygiene in a variety of sectors.



Material : Polyethylene

Colour : Blue


Size : 14" Length

Applications : Hygiene Rules • Food Processing • Clean Areas • Utilities • Leisure Centers

Packaging : 10 pieces in a roll • 100 in a polybag • 20 Polybags in a Carton

HQ DISPOSABLE OVERSHOES

Description : Our HQ Overshoes are made from a high quality PP+CPE providing strength and grip on slippery floors. They are elasticated at the ankle to ensure a good fit. They are suitable for protecting floors and footwear and ensuring environmental hygiene in a range of industries. These are a higher quality, more durable version of the CPE disposable overshoes.



Material : Polyethylene

Colour : Blue

Size : 14" Length

Applications : Hygiene Rules • Food Processing • Clean Areas • Utilities • Leisure Centers

Packaging : 10 Pcs in a roll • 100 in a polybag • 10 polybags in a Carton

COVERALL MODEL : SMS - COVERALLS

Description : Designed for minimal risk environments, these coveralls feature an elasticated hood, wrists, waist & ankles, ensuring a snug and comfortable fit. The polypropylene construction provides a shield from dirt, paint and other non-hazardous materials, making these coveralls suitable for farms, factories, and food processing facilities. Manufactured in accordance with European PPE directive 89/686/EEC Velcro front fastening.

Material: 40GSM

Colour : White

Suitable for: Food Industry • Hospital • Automobile Industry • Painting • Chemical Handling • Livestock Farms

Size: M to 3XL

Packaging: Individually Packed • 50 pcs per Carton



COVERALL MODEL : SPP - COVERALLS

Description : Designed for minimal risk environments, these coveralls feature an elasticated hood, wrists, waist & ankles, ensuring a snug and comfortable fit. The polypropylene construction provides a shield from dirt, paint and other non-hazardous materials, making these coveralls suitable for farms, factories, and food processing facilities. It is manufactured in accordance with European PPE directive 89/686/EEC Velcro front fastening.

Material: 30 GSM

Colour : White

Suitable for: Food Industry • Hospital • Automobile Industry • Painting • chemical Handling • Livestock Farms

Size: M to 3XL

Packaging: Individually Packed • 50 pcs per Carton



COVERALL MODEL : TYPE 5B/6B MICROPOROUS COVERALLS

Description: Coverall made of polypropylene laminated with a microporous polyethylene film, with zipper and hood, elasticated arm and foot band (latex-free). Light weight and breathable, air permeable and waterproof. Supplying normal barrier against dry particles and limited liquid splash of chemicals.



Material: Microporous, 65 g/sm (+/-3.0)

Features: Waterproof • Latex Free • Fibre Glass Free

Ideal For: Spray Painting • Insecticide & Pesticide Spraying • Hospitals • Laboratories

Sizes Available: S to 3XL

DISPOSABLE VISITOR COATS

Description : These high-quality non-woven polypropylene visitor jackets are ideal for low-risk applications because they provide a simple, sanitary, and effective barrier against dirt and non-hazardous splashes. These jackets not only preserve your guests' clothing, but they also assist to limit the danger of contamination in places where sanitation is critical, such as food preparation and laboratory work. CE Category: Cat 1 Minimal Risks, European Personal Protective Equipment Directive 89/686/EEC. To comply with sanitary rules, pockets are not allowed. Velcro front fastening.



Colour : White • Blue • Red

Size : Medium to 3XL

Ideal For: Food Processing Industry • Hospitals • Medical and Healthcare • Janitorial • Laboratories

Packing : Individually Packed • 50 in a Carton

era

1300
FFP3 NR



FACE MASK MODEL : 1300 FFP3 NR

- Description :**
- ERA flat fold FFP3 Medical Mask
 - 50 x OEL Protection Level (According to NPF)
 - Foldable
 - CE Certified
 - Complied with EN 149:2001 + A1:2009 Standards

Conforms: EN149:2001+A1:2009

Labelling : CE Certified by notified body 1463

Ideal For : Pharmaceutical Industry • Ceramics • Food • Asbestos • Hospital Laboratory • Anti-Viral

Packaging : Individually packed • 25pcs per box • 20 bags per carton

Face Mask Model : FFP2 Gime 9139

- Description :** FFP2 particle filtering half mask, made with an FFP2 filtering exhalation valve, a 3-ply outer layer, polypropylene middle layer, and a polyester inner layer. Conforms to CE EN149:2001 standards. Adjustable nosepiece with inner foam.



Conforms : EN149 : 2001 - A1 : 2009

Ideal For : Pharmaceutical Industry • Ceramics • Food • Asbestos • Hospital Laboratory • Anti-Viral

Packaging : 20 Pcs in bag • 20 Boxes to a carton

Face Masks Model : SY-9933

Description : FFP3 NR valved particulate respirator. Soft smooth lining. Considerate fit design. Adjustable nose piece. Easy breathing and speaking. Protects against solid and liquid nonvolatile particles, thereby reduces the amount of harmful particles in the inhaled air.



Conforms : EN149:2001+A1:2009

Ideal For : Pharmaceutical Industry • Food • Asbestos • Hospital Laboratory • Anti-Viral

Packaging : Individually packed • 20pcs per box • 30 boxes per carton

Face Masks Model : H-OMP-HQ

Description : FFP3 moulded valved dust mask with filter. Ultra-soft face joint ring. Wide, adjustable straps. 180gsm needle-punched non-woven fabric. 40gsm pp non-woven outer layer. 180gsm needle-punched non-woven fabric. 100gsm FFP3 filter layer. High performance exhalation valve.



Conforms : EN149:2001+A1:2009

Ideal For : Pharmaceutical Industry • Ceramics • Food • Asbestos • Hospital Laboratory • Anti-Viral

Packaging : Individually packed • 20pcs per box • 30 boxes per carton

FACE MASK MODEL : ZH3361V FFP3 NR MASK WITH VALVE

Description : FFP3 NR Valved Particulate Respirator with soft smooth lining, considerate fit design and adjustable nose piece for easy breathing/speaking.



Conforms: EN149:2001+A1:2009

Ideal For: Medical Examination • Pharmaceuticals • Food Processing • Light Assembly and Parts Handling

Packaging: Individually packed • 20 pieces per box • 20 boxes per carton

FACE MASK MODEL : P3001V

Description : FFP3NR Filtering Moulded Half Mask with exhalation valve, four filtering layers. Designed to protect against airborne solid or liquid particles. Non-reusable.



Conforms: EN149:2001+A1:2009

Ideal For: Medical Examination • Pharmaceuticals • Food • Light Assembly and Parts Handling

Packaging: Individually Packed • 12 pieces per box • 240 pieces per carton

Face Mask Model - HOMP-008-CV

Description : A flat fold FFP3 valved facemask with active carbon filter. It is mainly used for grinding, cutting & drilling. Resistant to contact with bacteria and viruses. It offers protection against toxic solid as well as liquid particles.



Conforms : EN149:2001+A1:2009

Packaging : Individually Packed 20pcs per box • 400pcs per carton



Face Mask Model – P2001V

Description : FFP2 Dust Mask, White Colour. Made with 3-Ply outer layer, polypropylene middle layer, FFP2 Filter & polyester inner layer. Conforms to CE EN149:2001 standards. Exhalation Valve for Extra Comfort. Adjustable nosepiece with inner Foam.

Conforms : EN149:2001+A1:2009

Labelling : CE Certified

Packaging: 15pcs per box • 300pcs per cartoon



SAFETY VESTS



HIGH VISIBILITY VESTS



DESCRIPTION:

MADE OF RETROREFLECTIVE MATERIALS, THESE VESTS ARE INTENDED TO PROVIDE VISIBILITY FOR THE WEARER ILLUMINATED BY HEADLIGHTS OF VEHICLES AND OTHER MECHANIZED EQUIPMENT.

HI VISIBILITY WORKWEAR : HRT80O

Description : This 80gsm Non-PPE Hi-Vis Orange Vest has black piping, Velcro fastening, and high quality reflective tape in the form of 2 Band & Brace strips. It is popular, economical and versatile - being useful in a variety of tasks including traffic and security. It is washable up to 25 times.

Weight : 80 GSM

Ideal For : Construction • Transportation • Security • Event Marshalling

Packaging : 10 pcs in bundle • 10 bundles per carton



HI VISIBILITY WORKWEAR : HRT80Y

Description : This 80gsm Non-PPE Hi-Vis Yellow Vest has black piping, Velcro fastening, and high quality reflective tape in the form of 2 Band & Brace strips. It is popular, economical and versatile - being useful in a variety of tasks including traffic and security. It is washable up to 25 times.

Weight : 80 GSM

Ideal For : Construction • Transportation • Security • Event Marshalling

Packaging : 10 pcs in bundle • 10 bundles per carton



HI VISIBILITY WORKWEAR : HRT120Y

Description : This 120gsm Hi-Vis Yellow Vest has black piping, Velcro fastening, and high quality reflective tape in the form of 2 Band & Brace strips. It complies with EN ISO 20471 : 2013 + A1 : 2016 offering class 2 (intermediate level) protection. It is popular, economical and versatile - being useful in a variety of tasks including traffic and security. It is washable up to 25 times.



Conforms : Class 2 EN ISO 20471 : 2013 + A1 : 2016

Weight : 120 GSM

Ideal For : Construction • Transportation • Security • Event Marshalling

Packaging : 10 pcs in bundle • 10 bundles per carton

HI VISIBILITY WORKWEAR :HRT120O

Description : This 120gsm Hi-Vis Yellow Vest has black piping, Velcro fastening, and high quality reflective tape in the form of 2 Band & Brace strips. It complies with EN ISO 20471 : 2013 + A1 : 2016 offering class 2 (intermediate level) protection. It is popular, economical and versatile - being useful in a variety of tasks including traffic and security. It is washable up to 25 times.



Conforms : Class 2 EN ISO 20471 : 2013 + A1 : 2016

Weight : 120 GSM

Ideal For : Construction • Transportation • Security • Event Marshalling

Packaging : 10 pcs in bundle • 10 bundles per carton

HI VISIBILITY WORKWEAR : HRT1200/Y

Description : This 120gsm Two Tone (Orange and Yellow) Hi-Vis Vest has black piping, Velcro fastening, and high-quality reflective tape in the form of 2 Band & Brace strips. It complies with EN471 offering class 2 (intermediate level) protection. It is popular, economical and versatile - being useful in a variety of tasks including traffic and security. Washable up to 25 times.

Conforms : EN ISO 20471:2013 + A1 : 2016

Weight : 120 GSM

Ideal For : Construction • Transportation • Security • Event Marshalling

Packaging : 10 pcs in bundle • 10 bundles per carton



HI VISIBILITY WORKWEAR : HRT800/Y

Description : This 80gsm Non-PPE Two Tone (Orange and Yellow) Hi-Vis Vest has black piping, Velcro fastening, and high-quality reflective tape in the form of 2 Band & Brace strips. It complies with EN471 offering class 2 (intermediate level) protection. It is popular, economical and versatile - being useful in a variety of tasks including traffic and security. Washable up to 25 times.

Weight : 80 GSM

Ideal For : Construction • Transportation • Security • Event Marshalling

Packaging : 10 pcs in bundle • 10 bundles per carton





MISCELLANEOUS PPE



DESCRIPTION:

PERSONAL PROTECTIVE EQUIPMENT SHOULD BE DESIGNED AND MANUFACTURED PRIMARILY WITH THE GOAL OF PROVIDING SAFETY, BUT WITH FUNCTIONALITY AS WELL AS COMFORT. THEY SHOULD FIT COMFORTABLY THUS ENCOURAGING WORKER USE. THIS MAKES THE DIFFERENCE BETWEEN BEING SAFELY COVERED OR DANGEROUSLY EXPOSED.

FACE SHIELD WITH PC VISOR

Description : Face Shield has a convenient flip up visor, clear lens with high visibility yellow top. Ideal for use with brush cutters and garden shredders. The visors are constructed from a clear polycarbonate with an aluminium edging.



CE Certification: CE APPROVED - Conforms to EN166

Visor Material : Clear Polycarbonate with an Aluminium Edging

Visor Dimension : 220mm x 390mm

Weight : 266 - 271g / pc

Packaging: 40 pcs per carton

WELDING FACE SHIELD

Description : This polyamide welding face shield with Auto Darkening DIN 9-13 can be used for all types of welding processes, 5 amperes MIG/MAG electrodes, TIG/WIG, plasma-jet cutting and welding (except for laser and gas welding). It is specially recommended for TIG welding as it is equipped with a special detector for this kind of welding. Solar cell and battery power supply.



CE Certification: EN175 EN379:2009.12

Size : 325 mm x 235 mm

Shade: Clear 4 and variable 9-13

Switching Time: 0.0005 s

Clearing Time: Up to 1s

Weight : 0.528 kg

SAFETY HELMETS - PUSH BUTTON ADJUSTMENT

Description : Our safety helmet has been designed and manufactured to ensure optimal impact protection from objects such as stones, roofing tiles, bricks and other items of similar weight. Plastic 8-point harness and manual adjustment. Size: 53 to 62 cm. Front band for sweat absorption. Harness already affixed to helmet ready to wear. Push button size adjustment for comfort & easy fitting.

Material : PE

Labelling : CE Certified

Colour : White • Yellow • Blue • Orange • Green

Weight: : 350g

Packaging: 40 Pcs per carton



Push Button Adjustment

SAFETY HELMETS – PIN LOCK ADJUSTMENT

Description : Our safety helmet has been designed and manufactured to ensure optimal impact protection from objects such as stones, roofing tiles, bricks and other items of similar weight. Plastic 6-point harness and manual adjustment . Size: 53 to 62 cm. Front band for sweat absorption. Comes with adjustable Chin belt.

Material : PE

Labelling : CE EN397:2012

Colour : White • Yellow • Blue • Black • Red • Grey • Orange • Green

Weight: : 350g

Packaging: 25 Pcs per carton



EAR MUFF MODEL : H-ED-002

- Description :** Yellow Earmuff with impact-resistant ABS shell body, soft foam pads, metal head-band with 4 supporting points averagely distributing the clamping forces. Headband can be folded and can be worn in 3 positions. Light-weight pocket size. SNR: 26db
- Conforms :** EN352-1 : 2002
(DIN EN 352 : 2003)
- Weight :** 140g / PC
- Labelling :** CE Certified
- Ideal For :** Airports • Construction Sites • Noisy Environments
- Packaging :** 1pc per polybag • 50pcs per carton



EAR MUFF MODEL : H-OPT-001

- Description:** Standard and most popular Ear Muff that complies with requirements of CE EN352-1 standards. Big cover body, simple design, no earache after wearing for a long time. A high performance, adjustable head band, soft foam ear cup cushions, comfortable to wear. Fine appearance and excellent workmanship. SNR: 21db
- Conforms:** EN352-1 : 2002
(DIN EN 352 : 2003)
- Weight:** 140g / PC
- Labelling:** CE Certified
- Ideal For:** Industrial • Workplace Noisy Environments
- Packaging:** Individually packed • 50 pieces in a carton



EAR PLUG MODEL : OEP103

Description : Banded Ear Plug

Features :

- Can be stored around the neck when not in use
- Slow-recovery foam pods rest outside the ear
- Lightweight and comfortable
- Non-invasive design
- Plastic dielectric (non-conductive) headband
- Pods swivel on head band
- Soft foam pods
- Pods are easily removed for cleaning or replacement



Conforms : EN352-2 • SNR : 26 dB

Material : ABS headband + PU ear plug

Packaging : 1 piece per bag • 500 pieces per carton

EAR PLUG MODEL : 13-E Corded

Description :

These corded earplugs are made from soft PU Foam which expands gradually which precisely fit the size and shape of ear canal. The high SNR rating gives excellent protection against harmful or uncomfortable noise. Supplied in a convenient cardboard dispenser box.

Material: PU Foam

CE Certification: EN 352-2:2002 SNR 36db

Packaging: 1 pair per bag • 100 pairs in a box



EARMUFF MODEL : H-OEP007- 1 EAR PLUGS

- Material :** PU
- Size :** 13mm(dia.)*24mm(H)
- Conforms :** CE EN352-2
- Labelling :** CE Certified
- Packaging :** 200 pairs per polybag • 20 polybags per carton



EARMUFF MODEL : H-OEP007- 1 EAR PLUGS

- Material :** PU
- Size :** 13mm(dia.)*24mm(H)
- Conforms :** CE EN352-2
- Labelling :** CE Certified
- Packaging :** 1 pair per bag • 200 pairs per bag • 25 bags per carton



SAFETY GOGGLES MODEL NO : WZ - YZ6

Description: These light-weight safety goggles offer excellent levels of safety and protect eyes from chemicals, liquids, airborne particles, debris and germs. They are made of soft flexible (yet strong) plastic. The adjustable elastic head-band keeps the goggles safely in one place. They are scratch / fog resistant and fit well over prescription glasses, making them suitable for all sorts of environment whether in the laboratory or at construction sites



Conforms: EN166 : 2001

Weight: 70gm / piece

Packaging: 10 Pieces per box

SAFETY GLASS MODEL : HOSG-025

Description: These ultra light-weight safety spectacles offer excellent levels of safety and protection. The contour design and flexibility of the frame gives a good versatile fit onto both smaller and larger faces.



Conforms: EN166 : 2001

Weight: 23gm / piece

Packaging: 12 Pieces per box • 240 Pieces per carton

GLASSES MODEL NUMBER : OSG014-8

- Description:** Safety glasses with adjustable arms, pc lenses and nylon frame.
- Colour:** Black Frame + Yellow Lens
Black Frame + Black Lens
Black Frame + Grey Lens
- Conforms:** EN 166 :2002 - Level F
- Weight :** 30g / PC
- Packaging:** 12 pieces per box • 240 pieces per carton
- Ideal For :** Construction • Laboratories



GLASSES MODEL NUMBER : SAFETY DIRECT VENT GOGGLE

- Description:** This safety goggles provide direct ventilation through the frame. The goggles feature a flexible PVC body providing a comfortable seal whilst on the face, an impact resistant clear polycarbonate lens and an elasticated headband for fitting.
- Conforms :** EN166 : 2001
- Lens Thickness :** 2.0mm
- Weight :** 23g / PC
- Labelling :** CE Certified
- Packaging :** 1 piece per bag • 200 pieces per carton
- Ideal For :** Construction • Laboratories • Engineering



SAFETY GLASS MODEL : HC597-I

Description : Modern and stylish two-lens safety spectacles providing excellent protection. Made from lightweight grey nylon. Soft, universal-fit nose bridge. Adjustable length pantoscopic arms. Curve 8 based polycarbonate lens. Visible light transmittance: 88 %. UV filtration: 2C - 1,2. Optical class: 1 (permanent wear). Anti-scratch coating.



Material : Polycarbonate

CE Certification : EN 166:2001
EN 170:2002

Lens Markings: 2 C – 1.2 1 F CE

Weight: 28g

KNEEPAD MODEL : OKP2008

Description : Light weight moulded Knee Pads with one elastic strap, colour black with ribbed kneeling surface.

- Coolmax lining draws away moisture leaving a warm and dry feeling.
- Great for use in wet environments.
- Removable elastic strap with hook and loop closure.



Material : EVA + Foam

Colour : Black

Packing : 1 pair per polybag • 60 pcs per carton

SAFETY HARNESS KIT

Description : The harness kit is specially designed and manufactured for use while working under conditions where there is some risk of falling from heights.

Fall arrest harness (EN 361): Appropriate for working where no securing devices are needed. Dorsal fall arrest attachment point comprising 8mm steel D buckle, to connect a fall arrest system.

Rope lanyard (EN 354): Manufactured in three-stand polyamide with a wear indicator: 14 mm diameter. Minimum Breaking load: 3.300 kg. Length: 1.5m.

Connector (EN 362): Symmetrical connector with manual threaded locking. Used for anchoring or to connect to structures. Weight: 175 g.



CE Certificate :
EN 361: 2002
EN 354: 2010
EN 362: 2004

HIGH VISIBILITY SECURITY ARM BAND

Description : Clearly display your Security Industry Authority Badge with this strong and durable armband which fits securely and comfortably on your upper arm. The clear PVC pocket has a protective flap to stop water entering the pocket, so your badge remains dry, clean and protected. These holders are made to a high specification, made from strong PVC and welded edges for a superior finish.



Capacity : Can hold cards up to 13.8 x 14.1cm

Ideal for : Emergency Services • Security Staff • Local Authorities • Utility Service Personnel • Charity Workers

Colour : Red • Yellow • Orange • Blue • Green

Packaging : Individual packed • 25 Pieces in a bag • 250 Pieces in a carton

SAFETY KNIFE RED / YELLOW (HK 521)

Description : A unique safety knife that cuts without damaging the contents of any package. Stainless steel blade is fully enclosed in a "finger safe" gap making it safe even if carried in the pocket. Complies with workplace Health and Safety regulations and can significantly reduce accidents.

Applications : Box & Carton opener

Packaging : Individual packed • 50 pieces per box • 400 pieces per carton



MOVING EDGE SAFETY KNIFE RED / YELLOW (HK 520)

Description : A unique safety knife that cuts without damaging the contents of any package. Stainless steel blade is fully enclosed in a "finger safe" gap making it safe even if carried in the pocket. Complies with workplace Health and Safety regulations and can significantly reduce accidents.

Why moving edge?

The Moving Edge mechanism allows the blade to move in a slicing action while the Safety Knife cuts. This action reduces snagging during the cut and requires significantly less force than a fixed blade cutter. An additional benefit is that the area of contact between the material cut, and the blade edge is extended which in turn reduces blade wear.

Applications : Box & Carton Opener

Packaging : Individual packed • 24 pieces per box • 288 pieces per carton



SAFETY KNIFE (Letter Opener)

Description : A unique box and letter opener that cuts without damaging the contents of any package. Stainless steel blade is fully enclosed in a "finger safe" gap making it safe even if carried in the pocket. Complies with workplace Health and Safety regulations and can significantly reduce accidents.

Applications : Box & Letter opener

Packaging : Individually packed • 200 pieces per box • 1000 pieces per carton



TEMPSHIELD
CRYO-PROTECTION™



MISCELLANEOUS GLOVES



DESCRIPTION:

THIS SECTION CONTAINS MORE SPECIALIST GLOVES, DESIGNED FOR SPECIFIC WORKING ENVIRONMENTS, INCLUDING GAUNTLETS INTENDED FOR USE IN HIGH AND LOW TEMPERATURE.

GLOVE MODEL : ANTI-VIBRATION GLOVES

Description : This glove is economical and comfortable to wear, as well as being dexterous and provides good protection against shock and vibration from machinery. The glove is knitted with a mixture of cotton and polyamide fibres, with a black rubber coating on the palm and fingers offering great protection for the user.

EN 388 CAT II

Abrasion	X
Cut	2
Tear	4
Puncture	3



Ideal For : Drilling and Boring • Mining • Oil Industries

Packing : Individually Packed • 12 pairs in a bigger polybag • 120 pairs in a carton

Sizes Available : M - 8 To XL - 10

GLOVE MODEL: CHAINMAIL GLOVE

Description : Chain mail is the material of choice for cut resistance in the food processing industry and for butchers. Made from thousands of welded stainless-steel rings and polyethylene fibres, this glove is flexible and readily moulds to the hand, making it ideal for wood carvers and carpenters. Designed to fit loosely for maximum dexterity, it has an adjustable wristband and can be safely cleaned in the dishwasher. Though it provides outstanding protection against any mishaps with hand tools.



Ideal For: Butchery • Wood Carving • Carpentry • Fishing

Packaging: Single Pair per bag • 25 pairs per carton

Sizes Available: L – 9 to XL – 10

GLOVES MODEL : CRYOGENIC GLOVES

Description : We supply a range of **Cryogenic Gloves** that are ideal for people dealing with temperatures of down to -180°C, gas cryogenics with nitrogen gas, argon gas and others. *Cryogenic Gloves* are an essential part of your cryogenic safety equipment, ensuring that you are protected from contact with extremely cold materials.



1222



1XX



Sizes Available: 38cm • 48cm • 68cm

Lining Material: Cryogenic Cotton

Outer Shell: Waterproof breathable composite material

Characteristics: Applicable temperature range for -169 to -240°C.

GLOVES MODEL : HEAT RESISTANT SILVER

Description : Gauntlet manufactured in split cowhide with fire-retardant treatment and a silver aluminized material called PREOX along the back. The lining is a mixture of wool and cotton.



Conforms : EN 407: 413243

Ideal For : Protection against radiant and contact heat • Applicable temperature up to 250°C

Sizes Available : L - 9 to XXL -11

GLOVE MODEL : VK32

Description: Made from 100% heavyweight Kevlar the VK32 is an extra heavyweight Kevlar gauntlet that provides maximum cut and tear resistance as well as protection from contact heat. It can withstand temperatures of 350 °C (Level 3 for contact heat) thus providing good protection against heat. It has a heavyweight knitted cotton inner liner which gives a degree of comfort, flexibility and dexterity unusual for such protection levels. The glove also has good abrasion resistance, which enhances its mechanical protection and increases durability



EN 407 : 43432X

EN 388 :
Abrasion 2
Cut 5
Tear 4
Puncture 1



Ideal For : Glass Manufacturing • Steel Handling • Bakery Work

Packing : 1 pair per inner bag • 12 pairs per polybag • 120 pairs per cartoon

Sizes Available : XXL - 11

GLOVE MODEL : THERM – 350 GAUNTLET

Description: Therm-350 gloves are manufactured with 500 gsm Kevlar and Terrycloth with an inner PVC liner for heat and liquid protection. Ideal in workshops with machines and solvents. Can resist up to 350 degrees Celsius for short bursts and 250 °C for longer durations



EN 388 CAT II

Abrasion 2
Cut 4
Tear 4
Puncture 1



Ideal For : Glass Manufacturing • Steel Handling • Bakery Work

Packing : 1 pair per inner bag • 12 pairs per polybag • 120 pairs per cartoon

Sizes Available : XXL - 11

GLOVE MODEL : RUPTURE 4

Description : The entire glove is manufactured from cow shoulder split 1.2mm leather. The leather is treated to make it water repellent, thus avoiding the glove getting soggy under wet working conditions. The inner lining is made with two layers Kevlar interlock knitted 190 gm fabric and a layer of CUT 5 Dyneema blend. Throughout the glove there is double stitching using Kevlar thread. All these details taken together give the glove superb resistance to cut and wear.



EN 388 CAT II

Abrasion	4
Cut	5
Tear	4
Puncture	4



Ideal For :

Barbed wire • Rubbish Clearance • Gardening • Sharp Objects Handling

Packing :

5 Pairs in a pack • 50 Pairs in a Case

Sizes Available :

L - 9 and XL - 10



Supremely
Tough

SupremeTTF
PPE Catalogue
2022

Himalyan Trading Ltd T/A SupremeTTF
Unit C, Studham Lane, Common Road
Studham, Dunstable
LU6 2FU

T: 01727 568370

F: 02080 433694

M: 07966639487

E: sales@supremettf.com

WWW.Supremettf.com

Distributed By: